

© COPYRIGHT EDP:
THIS DRAWING REMAINS THE PROPERTY OF EDP ENVIRONMENTAL.
NOTE: DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS SHALL
BE CHECKED ON SITE. ONLY FIGURED DIMENSIONS SHALL BE USED.
IF IN DOUBT, ASK.
THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL
RELEVANT DRAWINGS, DOCUMENTS AND INFORMATION PREPARED
BY THE ARCHITECT, OTHER CONSULTANTS AND SPECIALISTS.
THIS DRAWING SHALL BE READ IN CONJUNCTION WITH EDP
ENVIRONMENTAL MECHANICAL & ELECTRICAL SERVICES
SPECIFICATION & TECHNICAL SCHEDULES

HEALTH & SAFETY
STANDARD CONSTRUCTION HAZARDS THAT A COMPETENT
CONTRACTOR WOULD BE AWARE OF DURING NORMAL WORKING
PRACTICES ARE NOT IDENTIFIED ON THIS DRAWING.
RISKS THAT MAY NOT BE IMMEDIATELY APPARENT ARE LISTED
BELOW.

NOTES

1. THE ABOVE GROUND DRAINAGE SHALL BE INSTALLED
TO COMPLY WITH BS EN 12056 AND BUILDING
REGULATION PART H.
2. WASTE PIPEWORK IS TO BE INSTALLED IN u.P.V.C
PIPEWORK WITH A SOLVENT WELDED JOINTING
SYSTEM AND FINAL CONNECTIONS TO THE SANITARY
APPLIANCES VIA A MECHANICAL JOINTING SYSTEM.
3. ALL VERTICAL AND HORIZONTAL PIPEWORK SHALL BE
SUPPORTED BY THE MANUFACTURES RECOMMENDED
PIPE SUPPORTS.
4. ACCESS PIPE SHALL BE PROVIDED AT GROUND
SOCKET CONNECTIONS AND RODING EYES AT
CHANGES IN DIRECTION.
5. THE ABOVE GROUND DRAINAGE IS TO BE CLEANED
AND TESTED (WITNESSED BY THE BUILDING CONTROL
OFFICER) BEFORE BEING ENCLOSED WITHIN BOXINGS.
6. ALL OPEN ENDED PIPEWORK SHALL BE PLUGGED OFF
TO PREVENT THE INGRESS OF DIRT AND DEBRIS
DURING CONSTRUCTION. THE USE OF PLASTIC BAGS
IS NOT ACCEPTABLE.
7. ALL BRANCHES ARE TO BE INSTALLED WITH MAXIMUM
LENGTHS AND GRADIENTS WHICH COMPLY WITH
BUILDING REGULATIONS PART H.

P01	14.07.25	TENDER ISSUE
REV	DATE	REVISION DESCRIPTION
SCHEDULE OF REVISIONS		

Architects Model:
Structural Model:
Other Model:
Model Schedule Key: [Discipline] [Date Received] [Revision] [Specific Model Number]



HEAD OFFICE
EMBLEM HOUSE
PYNES HILL
EXETER, EX2 5BA
EXETER T: 01392 367 237
BRISTOL T: 01173 258 975
FAREHAM T: 01329 800 710
LONDON T: 02076 091 899
CHOBHAM T: 01276 300 280

CLIENT:
COUNCIL OF THE ISLES OF SCILLY

PROJECT:
PARK HOUSE, ISLES OF SCILLY
DRAWING TITLE:
ABOVE GROUND DRAINAGE
GROUND FLOOR

SERVICE TYPE:
PUBLIC HEALTH

DRAWING STATUS CODE:
REVIEW AND COMMENT

SCALE @ A1
1:50
INTERNAL PROJECT REF:
2606

DRAWING NUMBER:
2606-EDP-XX-00-DR-P-2000
PROJECT NUMBER - ORIGINATOR - ZONE - LEVEL - TYPE - ROLE - SEQUENTIAL NUMBER

Designed by: NO
Drawn by: NO
Checked by: SO
Revision: P01

LEGEND

———— AGD LOW LEVEL
----- AGD CONCEALED LEVEL

