




4 Proposed Door Jamb - Existing Building  
1 : 5



3 Proposed Window Jamb - Existing Building  
1 : 5



2 Proposed Window Jamb - Extension  
1 : 5  
Reference Sheet: 111001



1 Proposed Door Jamb - Extension  
1 : 5  
Reference Sheet: 111001

- DPC/AIR SEAL KEY**
- EDPM (EXTERNAL)
  - pU FOAM INSULATION
  - EXTERNAL WEATHER SEAL
  - SEALANT
  - INTERNAL - FLEXIBLE MEMBRANE BY INSTALLER FOR AIR SEALING
  - AIR SEAL TAPE
  - BREATHER MEMBRANE (P10/320A)
  - VAPOUR CONTROL LAYER (P10/310)
  - DPC
  - ATAL PREMSIL (J40/190A)
  - INSECT MESH (N16/320)

External walls to achieve a minimum of 60 minutes fire protection to the internal face.

D2	P34	08.06.2018	REISSUE FOR TENDER
D3	P30	29.01.2018	CONSTRUCTION ISSUE
D2	P27	12.12.2017	Amendments for Building Control
D2	P26	15.11.2017	REISSUE FOR TENDER
D2	P24	13.11.2017	BUILDING CONTROL ISSUE
D2	P20	09.11.2017	TENDER ISSUE
S0	P13	09.10.2017	WIP Issue for Co-ordination

STATUS	REV	DATE	DESCRIPTION	REVISED BY
CLIENT				James Turner
Council of the Isles of Scilly				CHECKED BY Gareth Freathy
				ORIGINATOR NO 150457

CONSULTANT
<b>STRIDE TREGLOWN</b>
<small>www.stridetreglow.com © Stride Treglow Limited 2016</small>
PROJECT
Carn Gwavel Church Road St Mary's Isles of Scilly TR21 0NA

DRAWING TITLE
Details - Windows/Doors Jamb

SUITABILITY STATUS D2 : SUITABLE FOR TENDER	SCALE 1 : 5 @ A1
PROJECT   ORIGINATOR   ZONE   LEVEL   TYPE   ROLE   CLASSIFICATION   NUMBER 150457-STL-XX-00-DR-A-XXXX-41002	REVISION P34