

External Door Schedule									
Mark	Type Mark	Width	Height	Level Threshold	Drained Threshold	Door Swing	Fire Door	Comments	Description
ED01	Type C	1150	2110	Yes	Yes	Outward	No	Doorbell to be provided by client	RAL colour 9016 - White - to match existing
ED02	Type D	1150	2110	Yes	Yes	Outward	No		RAL colour 7016 - Anthracite grey
ED03	Type B	1010	2110	Yes	Yes	Outward	No	Fire exit only	RAL colour 9016 - White - to match existing

Responsibility is not accepted for errors made by others in scaling from this drawing.
All construction information should be taken from figured dimensions only.




Notes:

All doors to be UPVC as Spec: L20/486

Ironmongery as Spec: L20/485 & 486

All doors and ironmongery to suit marine environment.

Structural openings to be confirmed on site prior to door manufacture.



Type B - Aluminium, outward opening, toughened glazed door, with mid rail as spec

Type C - Aluminium, outward opening, toughened glazed door, with mid rail as spec

Type D - Aluminium, outward opening, toughened glazed door, with mid rail as spec

New External Door Type Elevations
1 : 20

D2	P34	08.06.2018	REISSUE FOR TENDER
D3	P30	29.01.2018	CONSTRUCTION ISSUE
D2	P26	15.11.2017	REISSUE FOR TENDER
D2	P24	13.11.2017	BUILDING CONTROL ISSUE
D2	P20	09.11.2017	TENDER ISSUE
S3	P18	24.10.2017	Building Control Issue
S3	P16	10.10.2017	First issue - For client comment and review
S0	P13	09.10.2017	WIP Issue for Co-ordination

STATUS	REV	DATE	DESCRIPTION	REVISED BY
CLIENT				KS
Council of the Isles of Scilly				CHECKED BY
				GF
				ORIGINATOR NO
				150457

CONSULTANT

STRIDE TREGLOWN

www.stridetreglown.com © Stride Treglown Limited 2016

PROJECT
Carn Gwavel
Church Road
St Mary's
Isles of Scilly
TR21 0NA

DRAWING TITLE
External Door Schedule

SUITABILITY STATUS D2 : SUITABLE FOR TENDER		SCALE 1 : 20 @ A3	
PROJECT ORIGINATOR ZONE LEVEL TYPE ROLE CLASSIFICATION NUMBER	REVISION		
150457-STL-XX-XX-DR-A-XXXX-71001	P34		