- 0.353m2: 4mm Glass-Fuel Surcharge

690x512 4/20/4 Clear Tuff op1

- 690x512 4/20/4 Clear Tuff op1

### Furniture:

Virage White locking R\H 16" Top Hung Hinge (pr) 800 Maco Shootbolt Ext(pair) Maco Shootbolt Striker L/H Maco Mushroom Striker Maco Shootbolt Gearbox Maco Shootbolt Striker R/H

95mm Stub Cill White (1010mm)

**Qty Description** 

690x 512

4/20/4 Clear Tuff op1

690x 512

4/20/4 Clear Tuff op1

System Group

Rehau Total 70c

70mm White Internal Casement

**Outer Frame Casement Sash**  62mm O/Frame White

Internal T Sash White Transom/Mullion Std Transom \ Mullion White

Cill Reinforcement 95mm Stub Cill White Std 1MM Reinforcing

**Main Handles Main Hinges** Main Lock

Virage White locking Standard Friction Stay Maco Shootbolt

Face. Drainage Grooved Finish1

Frame Extender

Bead Gasket 15mm Extender White

28mm Lo-Level Og Bead Wht/Bl **EPDM Glazing Seal Black** 4/20/4 Clear Tuff op1

**Glass Type** 

Window No: 7 of 10 Location: Window 7 Finish: Grooved

Reinforcement: Std 1MM Reinforcing

# Extras:

- 1350mm: 15mm Extender White 2 1010mm: 95mm Stub Cill White 1

- 95 Cill End Caps White Pair

- 4484mm: 62mm Outer Frame Extra Charge

- Maco Shootbolt Gearbox 2

- 0.353m2: 4mm Glass-Fuel Surcharge

690x512 4/20/4 Clear Tuff op1 1 - 690x512 4/20/4 Clear Tuff op1 1

Virage White locking R\H 16" Top Hung Hinge (pr) 800 Maco Shootbolt Ext(pair) Maco Shootbolt Striker L/H Maco Mushroom Striker Maco Shootbolt Gearbox Maco Shootbolt Striker R/H

95mm Stub Cill White (1010mm)


**Qty Description** 

690x 512

4/20/4 Clear Tuff op1

690x 512

4/20/4 Clear Tuff op1





**RECEIVED** 

By Liv Rickman at 11:50 am, Aug 16, 2022

1 - 880w x 1350h (Basic Frame Size) 1 - 910w x 1380h, 30mm Cill Viewed Outside

### **Customer Details** C & R Trade Account ..

Tel: Fax:

Job No: 024457 Ref: Hunt Marcia

Date Printed: 25 July 2022 14:43

Rehau Total 70c

70mm White Tilt & Turn

62mm O/Frame White

Tilt Turn Sash White Std Transom \ Mullion White

150mm Cill White

**T&T Furniture** 

Face. Grooved

Std 1MM Reinforcing

White Locking TT Handle

15mm Extender White

**EPDM Glazing Seal Black** 

28mm Lo-Level Og Bead Wht/Bl

**System** 

Group **Outer Frame** 

T/T Sash Transom/Mullion Cill

Reinforcement

T/T Handles T/T Lock

**Drainage** Finish1

Frame Extender

Bead Gasket

4/20/4 Clear Tuff op1 **Glass Type** 

Window No: 1 of 10 **Location: Window 1** Finish: Grooved

Reinforcement: Std 1MM Reinforcing

Extras:

- 1350mm: 15mm Extender White 2 - 1000mm: 150mm Cill White - 150 Cill End Caps White Pair 1

- T/T Locking White 1

- 0.390m2: 4mm Glass-Fuel Surcharge 2

690x565 4/20/4 Clear Tuff op1 1 690x565 4/20/4 Clear Tuff op1 1

## Furniture:

T/T Locking White


## Cill:

150mm Cill White (1000mm)

**Qty Description** 

690x 565 690x 565

4/20/4 Clear Tuff op1 4/20/4 Clear Tuff op1



1 - 870w x 1350h (Basic Frame Size)

1 - 900w x 1380h, 30mm Cill

**Viewed Outside** 



System Group **Outer Frame Door Sash** 

Rehau Total 70c 70mm White Open IN Door

72mm O/Frame White Door sash 'Z' white

Transom/Mullion Std Transom \ Mullion White

150mm Cill White Cill

Stormguard (Silver) Open In Stub Low Threshold

Resi-Door Reinforcing Reinforcement White Fab Lev/Lev Handle **Door Handles** PdK Flag Hinge White **Door Hinges Door Lock** Paddock Security Lock

Drainage Face. Grooved Finish1 Frame Extender

15mm Extender White

Bead 28mm Lo-Level Og Bead Wht/Bl **Gasket EPDM Glazing Seal Black** 

Glass Type 28mm Unglazed **Glass Type** 4/20/4 Obsc Tuff op1

Window No: 8 of 10 Location: Window 8 Finish: Grooved

Reinforcement: Resi- Door Reinforcing

Extras:

2 - 2120mm: 15mm Extender White - 1010mm: 150mm Cill White 1

1 880mm; Stormquard (Silver) Open In Stub

150 Cill End Caps White Pair - PdK 2 Roller 2 Hookbolt LH 1

- 0.668m2: 4mm Glass - Fuel Surcharge 1

609x1097 4/20/4 Obsc Tuff op1

## Furniture:

White Fab 'n' Fix Lev/Lev Handle PdK Flag Hinge White (Wht) PdK 2 Roller 2 Hookbolt LH PdK Door Roller Keep PdK Profile Packers 70mm Rehau Pdk Security Latchplate LH Pdk Hook and roller Keep LH

### Cill:

150mm Cill White (1010mm)


**Qty Description** 

609x1097

4/20/4 Obsc Tuff op1

609x 700

28mm Unglazed



DOOR

1 - 880w x 2120h (Basic Frame Size)

1 - 910w x 2150h, 30mm Cill

**Viewed Outside**