

Notes:

Drawings are based on survey data and may not accurately represent what is physically present.

Do not scale from this drawing. All dimensions are to be verified on site before proceeding with the work.

All dimensions are in millimeters unless noted otherwise.

Purcell shall be notified in writing of any discrepancies.

Key

Existing Construction


Demolition - Main Contract

Soft strip demolition - Enabling Works. For detail on items to be removed during the enabling works refer to I500 series.

- All demolition has to take account of the results of asbestos and lead paint surveys. Appropriate PPE should be worn during the removal by a registered contractor and notification to HSE and risk registers to be completed.
- NOTE:**
- Following the removal of the roof, temporary weatherproofing should be utilised to ensure the protection of key Grade II listed items within the Town Hall, including (but not limited to):
- Roof trusses and ties
 - Stone corbels and mouldings to the walls
 - Sarking boards
 - Wall heads - to ensure the walls do not suffer as a result of water ingress.
- Key items of historic fabric which should be protected (as outlined in I500 Enabling Works series):
- Timber panelling (wainscoting) to walls and associated joinery including skirting boards and architraves
 - All timber floorboards to auditorium and stage
 - Timber floor joists in auditorium and stage
 - Auditorium sarking / ceiling boards

RECEIVED
By Tom.Anderton at 1:16 pm, Jun 09, 2025

P2	05/06/25	Revised LBC application
P1	07/07/23	Drawings issued to planning authority
REV	DATE	DESCRIPTION



Funded by
UK Government

CORNWALL
COUNCIL
one and all - o'nen hag all

Made possible with

Heritage
Fund

CORNWALL & ISLES OF SCILLY
LOCAL ENTERPRISE PARTNERSHIP

Council of the
ISLES OF SCILLY

LEVELLING
UP

ARTS COUNCIL
ENGLAND

GOOD
GROWTH
CORNWALL & ISLES OF SCILLY
SHARED PROSPERITY FUND

CLIENT

Council of the Isles of Scilly

PROJECT

Isles of Scilly Cultural Centre and Museum

JOB NUMBER

241601

TITLE

Planning - Roof - Demolition Plan

SIZE	SCALE	LAST REVISED	DRAWN	CHECKED
A1/L	1 : 50	05/06/25	CM	GC
REV	SUITABILITY/REASON FOR ISSUE			
P2	PLANNING			
DRAWING NUMBER				
IOS-PUR-01-RF-DR-A-0133				
Purcell Bristol Studio: 6, St Peter's Court, Bedminster, Bristol BS3 4AQ				